

said web material.

12. The reclosable bag of claim 11 wherein the predetermined dimension is width.

5

13. The reclosable bag of claim 11 wherein the predetermined dimension is length.

10 14. The reclosable bag of claim 1 wherein said areas of structural weakness extend across a predetermined dimension of said sheet of web material in a predetermined pattern.

15 15. The reclosable bag of claim 1 wherein said areas of structural weakness comprise perforations.

20 16. The reclosable bag of claim 1 wherein said areas of structural weakness comprise scoring.

17. The reclosable bag of claim 1 wherein said areas of structural weakness comprise microperforations.

25 18. The reclosable bag of claim 1 wherein said sheet of web material is comprised of a multiple laminate film.

30 19. The reclosable bag of claim 18 wherein said multiple laminate film includes at least one layer of material comprising a tear path.

20. The reclosable bag of claim 19 wherein said tear path is hermetic.

21. A reclosable bag for filling with at least one
5 food product, said reclosable bag comprising: at
least one sheet of web material including a first
area of structural weakness and a second area of
structural weakness; said sheet of web material
including at least one fold structure located
10 between and defined by said first and second areas
of structural weakness, and a fill opening; said
sheet of web material including a first panel
coupled to said fold structure adjacent said first
area of structural weakness and a second panel
15 coupled to said fold structure adjacent said
second area of structural weakness; a reclosable
fastener structure including a male track
structure and a female track structure; said male
track structure including a first fin structure of
20 web material extending therefrom and said female
track structure including a second fin structure
of web material extending therefrom; each said fin
structure including a predetermined coupling
portion; said coupling portion of said first fin
25 structure being coupled to said first panel and
said coupling portion of said second fin structure
being coupled to said second panel; said
reclosable fastener structure extending past said
areas of structural weakness and into said fold
30 structure; said areas of structural weakness being
located below said reclosable fastener structure;
said reclosable bag capable of being filled with

at least one food product through said fill opening.

5 22. The reclosable bag of claim 21 wherein said areas of structural weakness are hermetic.

 23. The reclosable bag of claim 21 wherein said fill opening is located generally opposite said fold structure.

10 24. The reclosable bag of claim 21 wherein said first fin structure is larger than said second fin structure.

15 25. The reclosable bag of claim 21 wherein said first fin structure and said second fin structure each include a distal margin; said distal margins facing each other and at least one distal margin being coated with a releasable adhesive material.

20 26. The reclosable bag of claim 25 wherein said distal margins are releasably coupled to each other by said releasable adhesive material.

25 27. The reclosable bag of claim 25 wherein at least one said distal margin is coated with said releasable adhesive material and said distal margin is coupled to a predetermined portion of said web material.

30 28. The reclosable bag of claim 21 wherein said first fin structure and said second fin structure